

Information for Dog Owners

Vaccinations and parasite control are an important part of your dog's preventative health care plan. When given properly, they may protect your pet from several serious, even fatal, diseases and sicknesses. Vaccines are safe to give to your dog even if there is a chance they may have already received them.

Vaccines	Parasite Treatments	Additional Services
\$10 DHPP Vaccine	\$10 Flea Treatment	\$25 Microchip
A combination vaccine that helps protect your dog from Distemper, Parvovirus, Parainfluenza and Adenovirus. Puppies should start a series of vaccinations at 6-8 weeks and get boosters every 3-4 weeks until 16-17 weeks of age. Adults should be vaccinated every 1-3 years based on a discussion of risk factors with your regular veterinarian. Adults with an unknown vaccine history should get an initial vaccine and a booster in 3-4 weeks.	We use a safe and effective topical flea treatment. It starts killing adult fleas within hours and will work for up to 30 days. To be most effective, all animals in your house should be treated monthly. If your home is infested with fleas, a thorough vacuuming of the floor, baseboards, furniture and pet areas as well as an application of insecticide may be needed in order to kill all fleas and prevent re-infestation of your pet.	A microchip is a method of permanently identifying your pet. The chip is the size of a grain of rice and is placed under the skin between the shoulder blades. If your pet becomes lost, and is taken to a shelter or a veterinary clinic, they will be scanned for a microchip which is linked to your contact information.
\$10 Rabies Vaccine	\$5 Roundworm Treatment	\$5 Take Home Pain Medication
The Rabies vaccine protects your dog from a fatal virus that can be transmitted to humans. The vaccine is given between 12 and 16 weeks of age and then boosted in one year, after that it is required every three years.	Pyrantel is a safe oral de-wormer effective against common roundworms (spaghetti-like in appearance) and hookworms. Puppies should be de-wormed every 2 weeks starting at 6-8 weeks of age and continuing for 3-4 treatments. Adults should be de-wormed at least once a year.	Your pet has already received pain medication during and after surgery. We also offer a 3 day supply of take home pain medication that is the equivalent of dog aspirin that will lessen any pain associated with the surgery. Please do not give your pet any pain medication made for humans such as Tylenol or Ibuprofen as they are poisonous to your pet.
\$10 Bordetella or Kennel Cough Vaccine	Tapeworm Treatment \$10 1-50 lbs \$15 51-75 lbs \$20 76-100 lbs \$25 100 lbs +	\$5 Elizabethan Collar
The Bordetella vaccine or more commonly called the Kennel Cough vaccine is a preventative to protect your dog from a bordetella bacterial affection. It is a recommended vaccine if your dog will be exposed to a great many dogs such as at dog parks, boarding facilities or veterinary hospitals. We administer the intranasal variety.	Tapeworms (rice or sesame seed-like in appearance) are a common intestinal parasite that is transmitted to your pet from fleas. You may notice worm segments near your pet's anus or in his stool. A single treatment of Praziquantal (given by injection) will eliminate the tapeworm. Your pet should also be treated for fleas to prevent re-infection.	A plastic cone worn by an animal to prevent the animal from biting or licking at its surgical area. Especially important if your dog licks itself a lot.